
Primezilla integration

Posted by cultier - 2007/05/09 05:02

Hello

There's any plan about integration Fireboard with Primezilla??

:laugh:

=====

Re:Primezilla integration

Posted by freakshowtm - 2007/05/09 07:37

plans to integrate more pms in fb is in the works..

i just not sure if primezilla is one of them..;)

=====

Re:Primezilla integration

Posted by ChrisX - 2007/05/13 20:24

freakshowtm wrote:

plans to integrate more pms in fb is in the works..

i just not sure if primezilla is one of them..;)

I think that's a mistake.

Primezilla is the best FREE option I've seen yet.

JIM is useless

Missus is good, but the interface is a disaster.

Unless you want to spend time tweaking and futzing around with something, Primezilla is the best option.

It's clean, it's simple, configurable, and has a nice neutral interface that fits anywhere.

Regardless of Fireboard's intent, I'm going with Primezilla. Your team should seriously reconsider.

~C

=====

Re:Primezilla integration

Posted by hola - 2007/05/14 22:17

I remember using primezilla, it was clean and nice and I like it very much. But too bad it seems like it integrates with nothing except marketplace. Pity.. It should.

=====

Re:Primezilla integration

Posted by Dave_A - 2007/05/16 09:32

We use Primezilla too, use it as it is easy to fit in with whatever template we use, so easy to configure. A breeze, shame there is no integration with hardly any thing. Will be great if it can be used in FB, as I would def use it when we have a stable version.

=====

Re:Primezilla integration

Posted by iosoft - 2007/05/16 13:28

I have done a quick simple, hard coding (3 lines) integration with PMZ and FB.

=====

Re:Primezilla integration

Posted by cultier - 2007/05/17 00:24

Hello iosoft !

Show us your code. We'll be happy!

:laugh:

=====

Re:Primezilla integration

Posted by iosoft - 2007/05/17 08:24

Facing Problem while editing the POST !!
MODs help needed.

Mean while, see the TXT file attached with it. <http://www.bestofjoomla.com/images/fbfiles/files/p-48cfc65b11c4a19fe08d4e5cbbb7580a.txt>

=====

Re:Primezilla integration

Posted by Dave_A - 2007/05/17 13:53

Many thanks for that, I'll try that out later.

=====

Re:Primezilla integration

Posted by Harald_K - 2007/05/23 16:01

Does it work? Tell us please!

Harald_K

=====

Re:Primezilla integration

Posted by Harald_K - 2007/05/23 16:01

Double post, sorry.

=====

Re:Primezilla integration

Posted by iosoft - 2007/05/23 16:15

Harald_K wrote:

Does it work? Tell us please!

Harald_K

It works 100% :laugh:

=====

Re:Primezilla integration

Posted by cultier - 2007/05/23 23:55

Many, many thanks for that! it's work very well.
I just would like to know how put in "Subject" field the subject text...
sorry for my ask, but i'm a starter...
:blush:

=====

Re:Primezilla integration

Posted by Quizzer - 2007/05/25 13:50

Thanks for the integration code works 100% very easy even for a novice like me.;

Now if I can just get the message time to match my local time:unsure:

If anyone can point me in the right direction it will be greatly appreciated.

Sorry if this is off topic.

=====

Re:Primezilla integration

Posted by rlee - 2007/05/25 14:12

I have reverted to the last Joomla! board. Would the primezilla/fb hack work on JB?

rlee

=====

Re:Primezilla integration

Posted by iosoft - 2007/05/25 14:23

rlee wrote:

I have reverted to the last Joomla! board. Would the primezilla/fb hack work on JB?

rlee

I works on any version of FB. I actually developed it upon my FB 1.0.0(B) setup :laugh: also tested on FB 1.0.1(B)

=====

Re:Primezilla integration

Posted by incubus - 2007/05/29 16:24

An hint for all is PMS Enhanced free and good
I use it on FH sides and on my side works very well and got lot of translations.
Works with CB too

Maybe a PMS that should be integrated in FB too

greetz Incubus

Re:Primezilla integration

Posted by iosoft - 2007/05/29 16:27

incubus wrote:

An hint for all is PMS Enhanced free and good
I use it on FH sides and on my side works very well and got lot of translations.
Works with CB too

Maybe a PMS that should be integrated in FB too

greetz Incubus

those who are using Marketplace, Primezilla is the only option as PM-system.
and it is smallest among everyone else :kiss:

Re:Primezilla integration

Posted by ChrisX - 2007/05/30 17:21

I wish I had waited :)

I purchased Clexus a day before you posted this. That's ok, it's a great product. Just a little annoying with the IONCube Loader. It slows down performance on the shared host(1and1) I'm using for dev. However, I have it running on a local server running OpenSuse and it doesn't seem to be causing a problem. Must be 1and1. For \$46, it's not a bad product.

Thanks for the hack, I'll use PZ on the next one. Hopefully by then there will be better integration options available.

~C

Re:Primezilla integration

Posted by dannykillla - 2007/06/17 18:27

:(I cant seem to get this to work, I have copied and pasted the code like suggested but when i click on PM on someones profile i get this error "The page you are trying to access does not exist.
Please select a page from the main menu."

Here is my view.php

Post below

Re:Primezilla integration

Posted by dannykillla - 2007/06/17 18:32

http://www.bestofjoomla.com/components/com_fireboard/uploaded/files/codePrimezilla.txt

Re:Primezilla integration

Posted by iosoft - 2007/06/17 18:48

Please NOTE, in this line -

```
$msg_pms="om_primezilla&page=write&Itemid=29&uname='.$PMSName)
```

the value of Itemid could be different from that of mine. Check that out.

=====

Re:Primezilla integration

Posted by dannykillla - 2007/06/17 19:53

Hi,

The template im using is Rocketthemes elemental and also is the PM system on fireboard Primezilla.

Also how do i found out what item ID it is?

Thansk
Danny

=====

Re:Primezilla integration

Posted by Suzie - 2007/06/26 02:56

Hi iosoft,

Maybe this is the wrong question to pose to you here, but after trying the hack you posted, I can't get the view.php file to upload to the fireboard default template folder. It tells me that my permissions aren't sufficient to overwrite it. I've tried going through my server file manager, through JoomlaXplorer, and through the FTP program to change perms and each time it gives me an error. I've even been careful to log out of the site in case my fireboard was setting any locks that were keeping me from overwriting the file. This is the only component file that it happens to - can upload view.php to anywhere else on the site (including the main com_fireboard folder.)

Do you or anyone else have any ideas what I'm facing here?

=====

Re:Primezilla integration

Posted by Suzie - 2007/06/26 03:01

By the way, dannykillla, to find the itemid just add primezilla as a menu item on one of your menus. You should see the itemid in the Menu Manager for that menu, between "Access" and "Type".

=====

Re:Primezilla integration

Posted by iosoft - 2007/06/26 04:59

Suzie wrote:
Hi iosoft,

Maybe this is the wrong question to pose to you here, but after trying the hack you posted, I can't get the view.php file to upload to the fireboard default template folder. It tells me that my permissions aren't sufficient to overwrite it. I've tried going through my server file manager, through JoomlaXplorer, and through the FTP program to change perms and each

time it gives me an error. I've even been careful to log out of the site in case my fireboard was setting any locks that were keeping me from overwriting the file. This is the only component file that it happens to - can upload view.php to anywhere else on the site (including the main com_fireboard folder.)

Do you or anyone else have any ideas what I'm facing here?

Check the permission of the DIRECTORY and the Parent DIRECTORY also. Make them all '777' for few second just to upload the file.

BTW, can't you directly edit the file from your CPANEL or similar file-manager of hosting-Control panel ? This hack is quite easy and safe, so no need to worry if you don't touch other codes.

P.S. thanks for helping dannykilla.

Re:Primezilla integration

Posted by whouse - 2007/06/26 06:00

I was going to suggest using cPanel as well. Or, you should also be able to use JoomlaXplorer to edit the file.

Re:Primezilla integration

Posted by Suzie - 2007/06/26 21:10

Thanks for the quick replies, guys! Actually, I've tried joomlaxplorer and Cpanel and both won't work. In cpanel I get an error :

I'm going to see if my host has any idea why I'm getting that error (it's just the com_fireboard folder where it happens). If all else fails, I suppose I could try reinstalling FB.

Thanks for your help!

Re:Primezilla integration

Posted by whouse - 2007/06/26 21:38

Does this this error occur when trying to edit and save the file using cpanel or when trying to upload the new file?

If it is during upload, try JoomlaXplorer or cPanel file manager to browse to and edit the file in question.

Re:Primezilla integration

Posted by Suzie - 2007/06/26 21:48

It happened when I was trying to change perms, edit, delete etc in cpanel. (This PC has some java issues which prevent JoomlaXplorer from working properly.) I uninstalled FB and reinstalled. Then changed the view.php file and everything is BEAUTIFUL now. I think either my server was messed up or else I probably did something and didn't realize it!

Thank you! (And thanks losoft!)

Re:Primezilla integration

Posted by iosoft - 2007/06/27 06:25

Glad to hear the success story ;)

Re:Primezilla integration

Posted by dannykillla - 2007/06/27 13:13

By the way, dannykillla, to find the itemid just add primezilla as a menu item on one of your menus. You should see the itemid in the Menu Manager for that menu, between "Access" and "Type".

Please note, although no boardcode and smiley buttons are shown, they are still useable

I tried this and it still wont work the item id was 61 and i typed this into the code and it still isnt working :(

Can anyone help please

Thanks
Danny

Re:Primezilla integration

Posted by dannykillla - 2007/06/27 13:24

Just tried again what Suzie suggested to do and I again get the same outcome the URL looks like this

http://test.manchesters-armed-defenders.co.uk/index.php?option=com_pms&page=new&id=bzrk&title=

and I get the msg "The page you are trying to access does not exist.
Please select a page from the main menu."

Someone please help :)

Danny

Re:Primezilla integration

Posted by dannykillla - 2007/06/27 13:29

Here is my View.php

```
setQuery("SELECT userid FROM #__fb_moderation WHERE catid='$catid' and userid='$my->id");
```

```
    if ($database->loadResult()) {  
        $is_Mod = 1;  
    }  
}  
else {  
    $is_Mod = 1;  
} //superadmins always are
```

```
if (!$is_Mod)  
{  
    //check Access Level Restrictions but don't bother for Moderators  
    unset ($allow_forum);  
  
    $allow_forum = array ();  
  
    //get all the info on this forum:
```

```

$database->setQuery("SELECT id, pub_access, pub_recurse, admin_access, admin_recurse FROM #__fb_categories
where id=$catid");
$row = $database->loadObjectList();

if ($fbSession->allowed != "na" && !$new_fb_user) {
    $allow_forum = explode(',', $fbSession->allowed);
}
else {
    $allow_forum = array ();
}

//Do user identification based upon the ACL
$letPass = 0;
$letPass = fb_auth::validate_user($row, $allow_forum, $aro_group->group_id, $acl);
}

if ($letPass || $is_Mod)
{
    $view = $view == "" ? $settings : $view;
    setcookie("fboard_settings", $view, time() + 31536000, '/');
?>

setQuery("SELECT * FROM #__fb_messages AS a LEFT JOIN #__fb_messages_text AS b ON a.id=b.mesid WHERE
a.id='$id' and a.hold=0");
$database->query();

if ($database->getNumRows() == 0) {
    echo " . _MODERATION_INVALID_ID . '\n';
}
else
{
    $database->loadObject($this_message);
    $thread = $this_message->parent == 0 ? $this_message->id : $this_message->thread;

    if ($my->id != 0)
    {
        //mark this topic as read
        $readTopics = "";
        $database->setQuery("SELECT readtopics FROM #__fb_sessions WHERE userid=$my->id");
        $readTopics = $database->loadResult();

        if ($readTopics == "")
        {
            $readTopics = $thread;

            $read_topics = array ();

            $read_topics = (" $thread");
        }
        else
        {
            //get all readTopics in an array
            $read_topics = explode(',', $readTopics);

            if (in_array($thread, $read_topics)) {
                $readTopics = $readTopics . ", " . $thread;
            }
        }

        $database->setQuery("UPDATE #__fb_sessions set readtopics='$readTopics' WHERE userid=$my->id");
        $database->query();
    }

    //update the hits counter for this topic
    $database->setQuery("UPDATE #__fb_messages SET hits=hits+1 WHERE id=$thread AND parent=0");
}

```

```

$database->query();
// changed to 0 to fix the missing post when the thread splits over multiple pages
$i = 0;

if ($fbConfig && $my->id != 0)
{
    $database->setQuery("SELECT fbordering from #__comprofiler where user_id=$my->id");
    $fbordering = $database->loadResult();

    if ($fbordering == "_UE_FB_ORDERING_OLDEST") {
        $orderingNum = 0;
    }
    else {
        $orderingNum = 1;
    }
}
else
{
    $database->setQuery("SELECT ordering from #__fb_users where userid=$my->id");
    $orderingNum = $database->loadResult();
}

$orderings = $orderingNum ? 'DESC' : 'ASC';
$database->setQuery("SELECT * FROM #__fb_messages AS a "
    ."\n LEFT JOIN #__fb_messages_text AS b ON a.id=b.mesid WHERE (a.thread='$thread' OR
a.id='$thread') AND a.hold=0 AND a.catid='$catid' ORDER BY a.time $ordering");

if ($view != "flat")
    $flat_messages = $this_message;

foreach ($database->loadObjectList() as $message)
{
    if ($view == "flat")
    {
        $flat_messages = $message;

        if ($id == $message->id) {
            $idmatch = $i;
        }

        $i++;
    }
    else {
        $messages = $message;
    }
}

if ($view == "flat")
{
    //prepare threading
    $limit = $fbConfig;

    if ($idmatch > $limit) {
        $limitstart = (floor($idmatch / $limit)) * $limit;
    }
    else {
        $limitstart = 0;
    }

    $limitstart = intval(mosGetParam($_REQUEST, 'limitstart', $limitstart));
    $total = count($flat_messages);

    if ($total > $limit)
    {
        require_once (JB_JABSPATH . '/includes/pageNavigation.php');
    }
}

```

```

$pageNav = new mosPageNav($total, $limitstart, $limit);
// slice out elements based on limits
$flat_messages = array_slice($flat_messages, $pageNav->limitstart, $pageNav->limit);
}
else {
    $total = 0;
}
}

//Get the category name for breadcrumb
$db->setQuery("SELECT name, parent from #__fb_categories where id='$catid'");
$db->loadObject($objCatInfo);
//Get Parent's cat.name for breadcrumb
$db->setQuery("SELECT name,id from #__fb_categories WHERE id='$objCatInfo->parent'");
$db->loadObject($objCatParentInfo);
//data ready display now
?>

```

```

.switchcontent
{
    display: none;
}

```

```

jQuery(function()
{
    jQuery(".fb_qr_fire").click(function()
    {
        jQuery("#sc" + (jQuery(this).attr("id").split("__"))).toggle();
    });
    jQuery(".fb_qm_cncl_btn").click(function()
    {
        jQuery("#sc" + (jQuery(this).attr("id").split("__"))).toggle();
    });
});

```

```

;
} else {
    echo ' ';
} ?>
">
name;?>

```

```

getTemplate()./images/arrow.png')) {
    echo ' getTemplate()./images/arrow.png" alt="" /> ';
} else {
    echo ' ';
} ?>

name;?>

-->

```

```
setQuery("SELECT thread from #__fb_subscriptions where userid=$my_id and thread='$thread'");
$fb_subscribed = $database->loadResult();

if ($fb_subscribed == "") {
    $fb_cansubscribe = 1;
}
else {
    $fb_cansubscribe = 0;
}
}

if ($my_id != 0 && $fbConfig == 1 && $fb_cansubscribe == 1)
{
?>
```

```
setQuery("SELECT thread from #__fb_favorites where userid=$my_id and thread='$thread'");
$fb_favorited = $database->loadResult();

if ($fb_favorited == "") {
    $fb_canfavorite = 1;
}
else {
    $fb_canfavorite = 0;
}
}

if ($my_id != 0 && $fbConfig == 1 && $fb_canfavorite == 1)
{
?>
```

```
setQuery("SELECT COUNT(*) FROM #__fb_favorites where thread='$thread'");
$fb_totalfavorited = $database->loadResult();

echo "
echo _FB_TOTALFAVORITE;
echo $fb_totalfavorited;
echo "
?>
```

Page:

```
writePagesLinks("index.php?option=com_fireboard&Itemid=$Itemid&func=view&id=$id&catid=$catid");  
?>
```

```
setQuery("SELECT a.userid FROM #__fb_users AS a" . "\n LEFT JOIN #__fb_moderation AS b" . "\n ON  
b.userid=a.userid" . "\n WHERE b.catid='$catid'");  
$catModerators = $database->loadResultArray();
```

```
if (count($flat_messages) > 0)  
{  
    foreach ($flat_messages as $fmessage)  
    {  
        $k = 1 - $k;  
        $mmm++;  
  
        if ($fmessage->parent == 0) {  
            $fb_thread = $fmessage->id;  
        }  
        else {  
            $fb_thread = $fmessage->thread;  
        }  
    }  
}
```

```
//filter out clear html  
$fmessage->name = htmlspecialchars($fmessage->name);  
$fmessage->email = htmlspecialchars($fmessage->email);  
$fmessage->subject = htmlspecialchars($fmessage->subject);
```

```
//set page title if on Mambo 4.5.2+  
if ($leaf->parent == 0) {
```

```

    $mainframe->setPageTitle($fmessage->subject . ' - ' . $fbConfig);
}

//Get userinfo needed later on, this limits the amount of queries
$userinfo = "";
$database->setQuery("SELECT a.posts,a.karma,a.signature,a.avatar,b.name,b.username,b.gid
FROM #__fb_users as a LEFT JOIN #__users as b on b.id=a.userid where a.userid='$fmessage->userid'");
$database->loadObject($userinfo);
//get the username:
$fb_username = "";

if ($fbConfig) {
    $fb_queryName = "username";
}
else {
    $fb_queryName = "name";
}

$fb_username = $userinfo->$fb_queryName;

if ($fb_username == "" || $fbConfig) {
    $fb_username = $fmessage->name;
}

$msg_id = $fmessage->id;
$lists = $fmessage->userid;
$msg_username = $fmessage->email != "" && $my_id > 0 && $fbConfig == '1' ? "email) . "\">" .
stripslashes($fb_username) . "" : stripslashes($fb_username);

if ($fbConfig)
{
    $Avatarname = $userinfo->username;

    if ($fbConfig == "clexuspm") {
        $msg_avatar = 'userid) . "' />';
    }
    elseif ($fbConfig == "cb")
    {
        $database->setQuery("SELECT avatar FROM #__comprofiler WHERE user_id='$fmessage-
>userid' AND avatarapproved='1'");
        $avatar = $database->loadResult();

        if ($avatar != "")
        {
            //added or modified by mambojoe
            //This now has the right path to the upload directory and also handles the thumbnail and
gallery photos.

            $imgpath = JB_JLIVEURL . '/images/comprofiler/';

            if (eregi("gallery/", $avatar) == false)
                $imgpath .= "tn" . $avatar;
            else
                $imgpath .= $avatar;

            $msg_avatar = "";
            //added or modified by mambojoe
        }
    }
    else
    {
        $avatar = $userinfo->avatar;

        if ($avatar != "") {
            $msg_avatar = "";
        }
    }
}

```

```

    }
}

if ($fbConfig)
{
    //user type determination
    $ugid = $userinfo->gid;
    $ulsMod = 0;
    $ulsAdm = 0;
    $ulsMod = in_array($fmessage->userid, $catModerators);

    if ($ugid > 0) { //only get the groupname from the ACL if we're sure there is one
        $agrp = strtolower($acl->get_group_name($ugid, 'ARO'));
    }

    if ($ugid == 0) {
        $msg_usertype = _VIEW_VISITOR;
    }
    else
    {
        if (strtolower($agrp) == "administrator" || strtolower($agrp) == "superadministrator" ||
strtolower($agrp) == "super administrator")
        {
            $msg_usertype = _VIEW_ADMIN;
            $ulsAdm = 1;
        }
        elseif ($ulsMod) {
            $msg_usertype = _VIEW_MODERATOR;
        }
        else {
            $msg_usertype = _VIEW_USER;
        }
    }
}

//done usertype determination, phew...
//# of post for this user and ranking
if ($fmessage->userid)
{
    $numPosts = (int)$userinfo->posts;
    //ranking
    $rText = "";
    $rImg = "";

    if ($fbConfig)
    {
        {
            if ($numPosts >= 0 && $numPosts = (int)$fbConfig && $numPosts = (int)$fbConfig &&
$numPosts = (int)$fbConfig && $numPosts = (int)$fbConfig && $numPosts = (int)$fbConfig)
            {
                $rText = $fbConfig;
                $rImg = JB_URLRANKSPATH . 'rank6.gif';
            }

            if ($ulsMod)
            {
                {
                    $rText = _RANK_MODERATOR;
                    $rImg = JB_URLRANKSPATH . 'rankmod.gif';
                }
            }

            if ($ulsAdm)
            {
                {
                    $rText = _RANK_ADMINISTRATOR;
                    $rImg = JB_URLRANKSPATH . 'rankadmin.gif';
                }
            }

            if ($fbConfig) {

```

```

        $msg_userranking = "";
    }

    $msg_userrank = $rText;
}

$useGraph = 0; //initialization

if (!$fbConfig)
{
    $msg_posts = $numPosts;
    $useGraph = 0;
}
else
{
    $myGraph = new phpGraph;
    //$myGraph->SetGraphTitle(_POSTS);
    $myGraph->AddValue(_POSTS, $numPosts);
    $myGraph->SetRowSortMode(0);
    $myGraph->SetBarImg(JB_URLGRAPHPATH . "col" . $fbConfig . "m.png");
    $myGraph->SetBarImg2(JB_URLEMOTIONSPATH . "graph.gif");
    $myGraph->SetMaxVal($maxPosts);
    $myGraph->SetShowCountsMode(2);
    $myGraph->SetBarWidth(4); //height of the bar
    $myGraph->SetBorderColor("#333333");
    $myGraph->SetBarBorderWidth(0);
    $myGraph->SetGraphWidth(64); //should match column width in the above -5 pixels
    //$myGraph->BarGraphHoriz();
    $useGraph = 1;
}
}
}

//karma points and buttons
if ($fbConfig && $fmessage->userid != '0')
{
    $karmaPoints = $userinfo->karma;
    $karmaPoints = (int)$karmaPoints;
    $msg_karma = "" . _KARMA . " : $karmaPoints";

    if ($my->id != '0' && $my->id != $fmessage->userid)
    {
        $msg_karmaminus
            = "userid . '&pid=' . $fmessage->id . '&catid=' . $catid . ") . "\">";
        $msg_karmaplus
            = "userid . '&pid=' . $fmessage->id . '&catid=' . $catid . ") . "\">";
    }
}

/*let's see if we should use Missus integration */
if ($fbConfig == "missus" && $fmessage->userid && $my->id)
{
    //we should offer the user a Missus link
    //first get the username of the user to contact
    $PMSName = $userinfo->username;
    $msg_pms
        = "userid . '&subject=' . _GEN_FORUM . ' : ' . urlencode(utf8_encode($fmessage->subject))) .
    "\">";
}

/*let's see if we should use JIM integration */
if ($fbConfig == "jim" && $fmessage->userid && $my->id)
{
    //we should offer the user a JIM link
    //first get the username of the user to contact
    $PMSName = $userinfo->username;

```

```

    $msg_pms = "subject) . "\>";
}
/*let's see if we should use uddelM integration */
if ($fbConfig == "uddeim" && $fmessage->userid && $my->id)
{
    //we should offer the user a PMS link
    //first get the username of the user to contact
    $PMSName = $userinfo->username;
    $msg_pms = "userid) . "\>";
}
/*let's see if we should use myPMS2 integration */
if ($fbConfig == "pms" && $fmessage->userid && $my->id)
{
    //we should offer the user a PMS link
    //first get the username of the user to contact
    $PMSName = $userinfo->username;
}
$msg_pms="";
}

// online - offline status
if ($fmessage->userid > 0)
{
    $sql = "SELECT count(userid) FROM #__session WHERE userid=" . $fmessage->userid;
    $database->setQuery($sql);
    $isonline = $database->loadResult();

    if ($isonline) {
        $msg_online .= $fbicons ? " : ' ' ";
    }
    else {
        $msg_online .= $fbicons ? " : ' ' ";
    }
}
/* ClexusPM integration */
if ($fbConfig == "clexuspm" && $fmessage->userid && $my->id)
{
    //we should offer the user a PMS link
    //first get the username of the user to contact
    $PMSName = $userinfo->aid;
    $msg_pms = "userid . '&title=' . $fmessage->subject) . "\>";
    //mypms pro profile link
    $msg_profile = "userid) . "\>";
    //mypms add buddy link
    $msg_buddy = "";
    $database->setQuery("SELECT icq,ym,msn,aim,website,location FROM #__mypms_profiles
WHERE user=" . $PMSName . "''");
    $mostables = $database->loadObjectList();

    foreach ($mostables as $mostables)
    {
        if ($mostables->aim)
            $msg_aim = "aim) . "\>";

        if ($mostables->icq)
            $msg_icq = "icq . "\>";

        if ($mostables->msn)
            $msg_msn = "";

        if ($mostables->ym)
            $msg_yahoo = "ym . "&.src=pg\>ym . "&m=g&t=0\" border=0>";

        if ($mostables->location)
            $msg_loc = $mostables->location;
    }
}

```

```

        unset ($mostables);
    }

    //Check if the Community Builder settings are on, and set the variables accordingly.
    if ($fbConfig == "cb")
    {
        if ($fbConfig && $fmessage->userid > 0)
        {
            $msg_prflink = sefRelToAbs('index.php?option=com_comprofiler&task=userProfile&user=' .
$fmessage->userid . ');
            $msg_profile = "userid . ") . "\">";
        }
    }
    else if ($fbConfig == "clexuspm")
    {
        //mypms pro profile link
        $msg_prflink = MyPMSTools::getProfileLink($fmessage->userid);
        $msg_profile = "userid) . "\">";
    }
    else
    {
        //FireBoard Profile link.
        $msg_prflink =
sefRelToAbs('index.php?option=com_fireboard&func=fbprofile&task=showprf&userid=' . $fmessage->userid . '&Itemid=' .
$itemid);
        $msg_profile = "userid . '&Itemid=' . $itemid) . "\"> ";
    }

    //Show admins the IP address of the user:
    if ($is_admin || $is_moderator)
    {
        $msg_ip = 'IP: ' . $fmessage->ip;
        $msg_ip_link = 'ip . '&f=2" target="_blank">';
    }

    $fb_subject_txt = $fmessage->subject;
    $table = array_flip(get_html_translation_table(HTML_ENTITIES));
    $fb_subject_txt = strtr($fb_subject_txt, $table);
    $fb_subject_txt = smile::fbHtmlSafe($fb_subject_txt);
    $fb_subject_txt = stripslashes($fb_subject_txt);
    $msg_subject = stripslashes($fb_subject_txt);
    $msg_date = date(_DATETIME, $fmessage->time);
    $fb_message_txt = $fmessage->message;
    $fb_message_txt = stripslashes(smile::smileReplace($fb_message_txt, 0, $fbConfig));
    $fb_message_txt = str_replace("\n", "", $fb_message_txt);

    // $fb_message_txt = nl2br($fb_message_txt);
    // $fb_message_txt = str_replace(" ", "", $fb_message_txt);
    // $fb_message_txt = str_replace("'", "", $fb_message_txt);
    // $fb_message_txt = str_replace("''", "", $fb_message_txt);
    // filter bad words
    if ($fbConfig) {
        $badwords = Badword::filter($fb_message_txt, $my);
    }

    //wordwrap:
    $fb_message_txt = smile::htmlwrap($fb_message_txt, $fbConfig);
    //this doesn't work for code... need to find something else..
    //restore the \n (were replaced with _CTRL_) occurrences inside code tags, but only after we have
stripslashes; otherwise they will be stripped again
    $msg_text = str_replace("_CRLF_", "\n", stripslashes($fb_message_txt));

    //add notification that the message was filtered for bad words
    if ($badwords == "true") {

```

```

    $msg_text = _COM_A_BADWORDS_NOTICE;
}

if ($fbConfig)
{
    $database->setQuery("select fbsignature from #__comprofiler where user_id=$fmessage-
>userid");
    $signature = $database->loadResult();
}
else {
    $signature = $userinfo->signature;
}

if ($signature != "")
{
    $signature = stripslashes(smile::smileReplace($signature, 0, $fbConfig));
    $signature = str_replace("\n", "", $signature);
    $signature = str_replace(" ", "", $signature);
    $signature = str_replace("'", "", $signature);
    $signature = str_replace('"', "", $signature);
    //wordwrap:
    $signature = smile::htmlwrap($signature, $fbConfig);
    //restore the \n (were replaced with _CTRL_) occurrences inside code tags, but only after we have
stripslashes; otherwise they will be stripped again
    $signature = str_replace("_CRLF_", "\n", stripslashes($signature));
    $msg_signature = $signature;
}

//echo "fmessage=".var_dump($fmessage);
//check if topic is locked
$database->setQuery("select thread from #__fb_messages where id='$fmessage->id'");
$topicID = $database->loadResult();

if ($topicID != 0)
{
    //message replied to is not the topic post; check if the topic post itself is locked
    $database->setQuery("select locked from #__fb_messages where id='$topicID'");
    $topicLock = $database->loadResult();
    $lockedWhat = _TOPIC_NOT_ALLOWED;
}
else
{
    //message replied to is the topic post; check if that's locked
    $database->setQuery("select locked from #__fb_messages where id='$fmessage->id'");
    $topicLock = $database->loadResult();
    $lockedWhat = _TOPIC_NOT_ALLOWED;
}

if ($topicLock == 0)
{
    //topic not locked; check if forum is locked
    $database->setQuery("select locked from #__fb_categories where id='$fmessage->catid'");
    $topicLock = $database->loadResult();
    $lockedWhat = _FORUM_NOT_ALLOWED;
}

if (((($fbConfig == 0 && $my_id != 0) || $fbConfig == 1) && ($topicLock == 0 || ($topicLock == 1 &&
$is_moderator)))
{
    //user is allowed to reply/quote
    $msg_reply = "id . '&catid=' . $catid) . "\>";

    if ($fbIcons) {
        $msg_reply .= "";
    }
    else {
        $msg_reply .= _GEN_REPLY;
    }
}

```

```

}

$msgg_reply .= "";
$msgg_quote = "id . '&catid=' . $catid) . "\">";

if ($fblcons) {
    $msgg_quote .= "";
}
else {
    $msgg_quote .= _GEN_QUOTE;
}

$msgg_quote .= "";
}
else
{
    //user is not allowed to write a post
    if ($topicLock == 1) {
        $msgg_closed = _POST_LOCK_SET;
    }
    else {
        $msgg_closed = _VIEW_DISABLED;
    }
}

$showedEdit = 0; //reset this value
//Offer an moderator the delete link
if ($is_moderator)
{
    $msgg_delete = "id . '&catid=' . $catid) . "\">";

    if ($fblcons) {
        $msgg_delete .= "";
    }
    else {
        $msgg_delete .= _GEN_DELETE;
    }

    $msgg_delete .= "";
}

if ($fbConfig == 1 && $my_id != "")
{
    //Now, if the viewer==author and the viewer is allowed to edit his/her own post then offer an 'edit'
    if ($my_id == $fmessage->userid)
    {
        $msgg_edit = "id . '&catid=' . $catid) . "\">";

        if ($fblcons)
        {
            $msgg_edit .= "";
            $showedEdit = 1;
        }
        else
        {
            $msgg_edit .= _GEN_EDIT;
            $showedEdit = 1;
        }

        $msgg_edit .= "";
    }
}

if ($is_moderator && $showedEdit != 1)

```

link

```

{
  //Offer a moderator always the edit link except when it is already showing..
  $msg_edit = "id . '&catid=' . $catid) . "\">";

  if ($fblcons) {
    $msg_edit .= "";
  }
  else {
    $msg_edit .= _GEN_EDIT;
  }

  $msg_edit .= "";
}

if ($is_moderator && $fmessage->parent == '0')
{
  // offer the moderator always the move link to relocate a topic to another forum
  // and the (un)sticky bit links
  // and the (un)lock links
  // but ONLY when it is a topic and not a reply
  $msg_move = "id . '&catid=' . $catid . '&name=' . $fmessage->name) . "\">";

  if ($fblcons) {
    $msg_move .= "";
  }
  else {
    $msg_move .= _GEN_MOVE;
  }

  $msg_move .= "";

  if ($fmessage->ordering == 0)
  {
    $msg_sticky = "id . '&catid=' . $catid) . "\">";

    if ($fblcons) {
      $msg_sticky .= "";
    }
    else {
      $msg_sticky .= _GEN_STICKY;
    }

    $msg_sticky .= "";
  }
  else
  {
    $msg_sticky = "id . '&catid=' . $catid) . "\">";

    if ($fblcons) {
      $msg_sticky .= "";
    }
    else {
      $msg_sticky .= _GEN_UNSTICKY;
    }

    $msg_sticky .= "";
  }

  if ($fmessage->locked == 0)
  {
    $msg_lock = "id . '&catid=' . $catid) . "\">";

    if ($fblcons) {
      $msg_lock .= "";
    }
  }
}

```

```

        else {
            $msg_lock .= _GEN_LOCK;
        }

        $msg_lock .= "";
    }
    else
    {
        $msg_lock = "id . '&catid=' . $catid) . "\">";

        if ($fbicons) {
            $msg_lock .= "";
        }
        else {
            $msg_lock .= _GEN_UNLOCK;
        }

        $msg_lock .= "";
    }
}

//(JJ)
if (file_exists(JB_ABSTMPLTPATH . '/message.php')) {
    include (JB_ABSTMPLTPATH . '/message.php');
}
else {
    include (JB_ABSPATH . '/template/default/message.php');
}

unset($msg_id, $msg_username, $msg_avatar, $msg_usertype, $msg_userrank,
$msg_userranking, $msg_posts, $msg_move, $msg_karma, $msg_karmaplus, $msg_karmaminus, $msg_ip,
$msg_ip_link, $msg_date, $msg_subject, $msg_text,
    $msg_signature, $msg_reply,
    $msg_quote, $msg_edit, $msg_closed, $msg_delete, $msg_sticky, $msg_lock, $msg_aim,
$msg_icq, $msg_msn, $msg_yahoo, $msg_buddy, $msg_profile, $msg_online, $msg_pms, $msg_loc, $msg_regdate,
$msg_prflink, $myGraph);
    $useGraph = 0;
} // end for
}
?>

```

```

setQuery("SELECT thread from #__fb_subscriptions where userid=$my_id and thread='$fb_thread'");
$fb_subscribed = $database->loadResult();

```

```
if ($fb_subscribed == "") {
    $fb_cansubscribe = 1;
}
else {
    $fb_cansubscribe = 0;
}
}

if ($my_id != 0 && $fbConfig == 1 && $fb_cansubscribe == 1)
{
?>
```

```
setQuery("SELECT thread from #__fb_favorites where userid=$my_id and thread='$fb_thread');
$fb_favorited = $database->loadResult();

if ($fb_favorited == "") {
    $fb_canfavorite = 1;
}
else {
    $fb_canfavorite = 0;
}
}

if ($my_id != 0 && $fbConfig == 1 && $fb_canfavorite == 1)
{
?>
```

Page:

```
writePagesLinks("index.php?option=com_fireboard&Itemid=$Itemid&func=view&id=$id&catid=$catid");
?>
```

```
getTemplate() . '/images/arrow.png')) {
    echo ' getTemplate() . '/images/arrow.png" alt="" /> ';
}
else {
    echo ' ';
}
?>

"> name; ?>

getTemplate() . '/images/arrow.png')) {
    echo ' getTemplate() . '/images/arrow.png" alt="" /> ';
}
else {
    echo ' ';
}
?>

name; ?>
```

```
-1 ? strftime("%d %B %Y %H:%M", $date + ($mosConfig_offset * 60 * 60)) : '-';
}

return $date;
}
?>
```

Re:Primezilla integration

Posted by Suzie - 2007/06/27 21:58

hey, it looks like you deleted the pms line from the view.php file, but forgot to add the primezilla hack into it. You can tell by looking at your link:

http://test.manchesters-armed-defenders.co.uk/index.php?option=com_pms&page=new&id=bzrk&title=

it's still referencing the com_pms program. I think you just need to make a copy of your backup view.php and try again :)

Re:Primezilla integration

Posted by dannykillla - 2007/06/27 23:20

no i have added how its says on the post left by iosoft?

http://www.bestofjoomla.com/components/com_fireboard/uploaded/files/PM.txt

Re:Primezilla integration

Posted by Suzie - 2007/06/28 01:19

Just as an FYI, I removed the option=com_pms from my file altogether. Maybe try that? Also verify the view.php file you've modified is actually on the server - that's what happened to me. I was ftping and didn't realize I was getting an ftp error because I had the error screen minimized. When I saw the link was still referencing com_pms, that's when I discovered my file wasn't getting overwritten.

Re:Primezilla integration

Posted by iosoft - 2007/06/28 05:04

You are doing huge mistake.

The URL should look like this -

http://mydomain.com/index.php?option=com_primezilla&page=write&Itemid=29&uname=admin

Only 'Itemid=' and 'uname=' will be different from your vs mine.

READ PROPERLY

http://www.bestofjoomla.com/component?option,com_fireboard/Itemid,38/func,view/id,13071/catid,3/limit,10/limitstart,0/#6922

Re:Primezilla integration

Posted by dannykillla - 2007/06/28 11:08

I have read through your post properly here is what I'm doing:-

1. open view.php
2. find "option=com_pms"
3. deleting the line of code you say to
4. copy and paste the new code
5. change the ItemID to what Primezilla is on my site which is 38
6. upload the new edited one
7. refresh my website and then click on the PM button on one of my members
8. I get the page saying "The page you are trying to access does not exist. Please select a page from the main menu."

so what am I doing wrong???????

Thanks
Danny

=====

Re:Primezilla integration

Posted by iosoft - 2007/06/28 13:22

Check your PM. I sent u a mail.

=====

Re:Primezilla integration

Posted by andreaasa - 2007/08/08 10:16

iosoft wrote:
Solution to integrate Primezilla with FB
.....

Thank you very much! :)

=====

Re:Primezilla integration

Posted by chaosnet - 2007/09/03 18:05

lol, just came on here to post how to do it as i couldn't remember if it had been covered yet.

One thing i notice though is that no one has mentioned editing the fbprofile.php page which determines the pm link in the userlist, same edit just a different file.

Also, whilst you have dreamweaver open, might as well edit the language file so that it reads primezilla in the back end

=====

Re:Primezilla integration

Posted by iosoft - 2007/09/03 18:25

chaosnet wrote:
lol, just came on here to post how to do it as i couldn't remember if it had been covered yet.

One thing i notice though is that no one has mentioned editing the fbprofile.php page which determines the pm link in the userlist, same edit just a different file.

Also, whilst you have dreamweaver open, might as well edit the language file so that it reads primezilla in the back end

Thanks for the notes.
Actually, I use FB with CB, so I didn't know about the FB's Profile page editing.
Also, thanks for the Language file update.

I will EDIT the main thread as soon as FB's stable version releases. :)

=====

Re:Primezilla integration

Posted by chaosnet - 2007/09/03 20:01

That explains that then lol Did wonder why it wasn't mentioned, and i guess if i used CB i wouldn't have noticed either. Never mind, all good in the long run

Re:Primezilla integration

Posted by iosoft - 2007/09/03 20:45

chaosnet wrote:

That explains that then lol Did wonder why it wasn't mentioned, and i guess if i used CB i wouldn't have noticed either. Never mind, all good in the long run

why don't you post the other hack part ? :blush:

Re:Primezilla integration

Posted by chaosnet - 2007/09/03 21:20

Ok, from the top:

Select the openpms option in the back end fireboard config screen, save and go to the front end forum.

Open the following files from within the com_fireboard folder n your chosen editor:

1. template/default/view.php
2. template/default/plugin/fbprofile/fbprofile.php
3. language/english.php

First edit, go to view.php and scroll to line 756 and replace:

```
'index.php?option=com_pms&page=new&id=' . $PMSName . '&title=' . $fmessage->subject) . "\">
```

with:

```
'index.php?option=com_primezilla&page=write&uname=' . $PMSName . '&subject=' . $fmessage->subject) . "\">
```

This code edit changes the openpms system to use the primzilla component, the edit also allows the subject of the forum post to be automatically entered into the PM. Save and upload and you'll see that the 'pm' icon in the main forum view now goes to Primzilla

Next, go to the fbprofile.php page and scroll to line 291 where you'll see the same code as referenced in the top code box above, as with the view.php file, edit this line of code and replace with the second peice of code listed above. Save and upload. This code edit effects the userlist for those of us that don't use CB and instead use the default fireboard profiles.

Lastly is the language file, this is really only for good housekeeping and so that what you select in the back end config screen is what you get upfront.

Scroll to line 92 and replace the words 'myPMS II Open Source' with Primezilla, save and upload, but remember, this file goes in the administrator/components/com_fireboard/language/ folder of the site and not the domain.com/language folder

HTH

Re:Primezilla integration

Posted by neveu - 2007/11/08 01:11

Thank you so much for this hack, its wonderful.

=====

Re:Primezilla integration

Posted by Neodammerung - 2008/04/23 17:02

iosoft wrote:

Facing Problem while editing the POST !!
MODs help needed.

Mean while, see the TXT file attached with it. <http://www.bestofjoomla.com/images/fbfiles/files/p-48cfc65b11c4a19fe08d4e5cbbb7580a.txt>

Worked perfectly! Thanks! :woohoo:

=====

Re:Primezilla integration

Posted by iosoft - 2008/04/23 19:25

Glad to hear that.

BTW, new version of 'Primezilla integration' is comming soon with integration with 'Report Moderator' option.

=====

Re:Primezilla integration

Posted by SepulSoul - 2008/10/24 17:43

Any updates on this?

=====

Re:Primezilla integration

Posted by iosoft - 2008/10/24 18:02

Not until FB1.0.5 STABLE comes out.
Sorry.

=====

Re:Primezilla integration

Posted by SepulSoul - 2008/10/24 22:37

No worries!

I am not using Joomla 1.5 anyway ;-P

Or will this be available for Joomla 1.0 as well?

=====

Re:Primezilla integration

Posted by iosoft - 2008/10/25 07:34

BOTH :)

